

GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

PSs – PRED – V&E – Verification of PR Dept. works under ACDF Scheme 2005-06 in Poduru (M), West Godavari District – Lapses – Vigilance Report – Disciplinary action initiated against Sri K.Ramakrishna, Deputy Executive Engineer, Panchayat Raj, Poduru, West Godavari District – WSD submitted by the Charged Officer - Warning – Issued.

PANCHAYAT RAJ & RURAL DEVELOPMENT (Vig.II) DEPARTMENT

G.O.Rt.No.1385

Dated:25-09-2009

Read the following:

1. From G.A.(V&E) Vigilance Report No.126(270/V&E/E2/07) Dt.5.9.07.
2. Govt. Memo No.23396Vig.II/A2/07-2, dt.3.1.09.
3. From Sri K.Ramakrishna, DEE, Written Statement of Defence dt.9.8.09

ORDER:

In the reference 1st read above, it has been brought to the notice of the Government by the G.A.(V&E) Dept. on the allegations of irregularities in execution of works under ACDF Scheme 2005-06 in Poduru (M), West Godavari District. The V&E Dept. pointed out that excess payment made to contractors and recommended to ensure recovery of the excess payment made to Contractors duly suspending business with them for limited period and to initiate disciplinary action against Sri K.Ramakrishna, Deputy Executive Engineer and Sri K.Samuel, Assistant Engineer.

2. Disciplinary action was initiated, interalia, against Sri K.Ramakrishna, Deputy Executive Engineer, Panchayat Raj, Poduru, West Godavari District., by framing article of charges for the lapses in execution of works under ACDF Scheme 2005-06 in Poduru (M), West Godavari District, in the reference 2nd read above. The Charged Officer submitted his WSD in the reference 3rd read above and stated that the deficiency pointed out by the V&E Dept. i.e. Rs.62,577/- in respect of 5 works is also within the tolerable deficiency and the same was already recovered from the contractors and requested to drop the charges.

3. The Government, after careful examination of the matter, it is observed that the deficiencies were within tolerable limits and amounts were recovered from the contractors and hence it is decided to warn Sri K.Ramakrishna, Deputy Executive Engineer, Panchayat Raj, Poduru, West Godavari Dist and hereby warn Sri K.Ramakrishna, Deputy Executive Engineer, Panchayat Raj, Poduru, West Godavari Dist to be more careful in future.

4. The Engineer-in-Chief, Panchayat Raj, Hyderabad is requested to take further action in the matter.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

M.V.P.C.SASTRY
PRINCIPAL SECRETARY TO GOVERNMENT

To

The individual through Engineer-in-Chief, Panchayat Raj, Hyderabad.

Copy to:

The Engineer-in-Chief, Panchayat Raj, Hyderabad.

The General Administration (V&E) Department (126(270/V&E/E2/07).

// FORWARDED:: BY ORDER //

SECTION OFFICER